

TYPE.	NO.
Draft gear arrangement and details	526
Draft-gear details	527
" " "	528
Coupler etc.	529
Arrgt. of Draft Gear for Steel Bulk Mail Van, 5'-3" Gauge	588
Draft Gear details, sheet No. 1 for Steel Bulk Mail Van 5'3" Gauge	589A
" " " " 2 " " " "	590
" " " " 3 " " " "	591
" " " " 4 " " " "	592
Side buffer for Steel Bulk Mail Van, 5'-3" Gauge	593A
Coupler alteration to standard Narrow Gauge	612A
Buffer and buffer seat	614
Coupling bars for Brill Cars, 5'-3" Gauge	616
Strengthened draw gear 60ft. Passenger Brake Van	617A
Mild Steel details for standard screw couplings, 5'-3" Gauge	693
Alteration to vans etc. to act as Trailers to Brill Cars	695A
Arrgt. & details of guide plate auto. coupler for Caboose Cars, 5'-3"	696
Arrangement of buffer strut Pullman Sleeping Cars	700
Buffer strut details for Pullman Sleeping Cars	701A
Strengthened drawgear for Accident Van, 5'-3" Gauge	6706A
Details of alterations to draw & Buffering gear conversion of "YY" Wagons from 5'-3" to 3'-6" Gauges	761
Details of draw gear, 5'-3" Gauge	765
Platform buffing steam & chaffing plate, Pullman Sleepg. & Ding. Cars	816
Coupler wearing plate, Pullman Sleeping & Dining Car	817
Platform buffing steam collar, " " "	818
" " gear guide, " " "	819
Coupler support bracket etc. " Car	820
Platform buffing gear wearing plate, Pullman Sleeping & Dining Car	821
Buffing Rods, Pullman Sleeping and Dining Car	822
Uncoupling arrangement, Pullman Dining Car	823
Coupler centering casting, Pullman Sleeping and Dining Car	824
Platform buffing plate, " " "	825
Buffer, " " "	826
Uncoupling arrangement for Pullman Sleeping Car SENT TO C.R.	827
Draw bar, Pullman Sleeping & Dining Car	828
Centre buffing stem for Pullman Sleeping & Dining Car	902
Upper buffing stem housing for " " "	903
" " bushings " " "	904
Chain dummy coupler for " " "	905
Head brake handle ratchet for " " "	906
Centre buffing stem " " "	918
Platform equipment for Pullman Sleeping Car SENT TO C.R.	1013
Draft lug for Pullman Sleeping & Dining Car	1014
Draft box for Class "X", "Y" & "YX" Wagons converted	1243
Draw and buffering gear, 3'-6"	1261
" " " "	1262
Standard draw gear, 3'-6"	1263
" " " "	1264
Arrangement of draw and buffering gear, "YY" Wagons	1272
" " No. 2 Draft gear with combination auto. coupler	1285
Steel castings for draft gear	1286
Draft gear details	1287
" " "	1288
Buffer seating casting	1289
Cast Steel draw gear details	1369
Draw gear details	1370
Standard screw coupling	1442
Details for coupler adapter for Rail Motor Cars, 5'-3" Gauge	1574
" " " " " "	1575
Assembly of coupler " " " "	1576
Alteration to drag box for Transfer Sheep Vans	1577
Coupler details for "BB" Sheep vans converted to Transfer Van	1583
Uncoupling rod bracket for pit bottom operated head SENT TO C.R.	1612
Coupler yoke pin support Pullman Sleeping Car SENT TO C.R.	1618
Uncoupling rod bracket " " " " SENT TO C.R.	1619
Draw bar and fittings for Sheep & Cattle Vans with auto. couplers	1832
" " " " " "	1833
Revised drawgear for 50ft. Lavatory cars converted to 5'3" Gauge	1847
Alteration to buffer on Rail and Trailer, 5'-3" & 3'-6"	1848

B 1761 A C1762
 B 1765 A
 B 1773 A
 B 1774 A
 B 1776 K
 B 1826 A

TYPE.	NO.
Coupling details, Pageol Rail Car	1971 A
Coupling " " " " & Trailer Car	1982 A
" " " " " "	1983 A
Arrgt. of couplgs. " " " "	1984 A
Drag box Class "Q" Cattle Van conversion	1986 A
Proposed draft gear V & S.A. Joint stock	2001
Coupler pin and washer, 3'-6" Gauge	2009 A
Coupler adapter, Model 75 Rail Cars	2013 A
Drawgear details, Dynamometer Car	2027
" " " " " "	2028 A
Uncoupling rod "YY" Auto. couplers	2034 A
Coupling details, Pageil Rail Car & Trailer	2224 A
" " " " " "	2225 A
" " " " " "	2226 A
" " " " " "	2227 A
Draw gear for Trailer for Port Adelaide	2255
Draft gear details, Dynamometer Car	2276 A
" " " " " "	2277 K
" " " " " "	2278 A
" " " " " "	2280 A
" " " " " "	2281 A
" " " " " "	2282 A
Side buffer details " "	2283 A
" " " " " "	2284 A
" head " "	2285 A
Side buffing casing " "	2286 A
Coupler details	2298 A
Assembly of alterations to coupler gear, Pageol Rail Car	2299 A
Coupler details, Pageol four-wheel Trailer	2300 A
Arrangement of side buffer trailing end, Dynamometer Car	2310 A
Auto. coupling leading end, Dynamometer Car	2316 A
Alteration to side buffer, auto. coupler	2506 A
Check lever for standard screw coupling	2522
Coupler adapter for carriages	2538 A
Bush for " "	2539
"Q" Wagon converted to auto. couplers	2579 A
Conversion of 4-wheel tank cars to auto. couplers and screw	2605 A
Proposed couplings to ordinary vehicles, Pageol Bogie Trlrs. 5'3"	2631
Buffer guide packing plate, Joint stock cars	2665 A
Draft gear details "Q" Cattle Van converted to 3'-6" Gauge	2667 A
Backstop "Z" Hopper with auto. couplers	2671 A
Draft gear details with " " " "	2677 A
" " " " " "	2680 A
" " " "Q" Water tanks	2692
Coupler details, Pageol Rail Car	2704 A
Alteration to Wallis buffer	2715 A
Stiffening plates for coupler adapter, Model 75 Rail Car	2778
Draft gear details, 4-wheel Refrigerator Cars, Class "R"	2786 A
Diagram showing cutting of Rail Car platform	2902
Auto. couplers comparison of contours Nos. 5 and 10	2903 A
Rail Car couplers, extension shank	2906
Arrangement of platform buffer, Suburban Con. auto. couplers	2915 A
" of welding " " "	2914 A
Platform buffer details " " "	2915 A
" " " " " "	2918 A
Arrangement of end sill and draft gear	2951 A
" " " " (Platform end)	2952
Buffer arrangement, Suburban Cars, auto. couplers	2980 A
Buffer details " " " "	2961 A
" " " " " "	2962 A
Arrangement of auto. coupler front end, Model 55 Rail Car	2965 A
" " " rear " " "	2966 A
Details " " " " " "	2967 A
" " " " " "	2968 A
Coupler casting " " " "	2971 A
Details of "X" Wagon, 5'-3" Gauge	2979 A
Coupler head and shank, auto. coupler	2985 A
" " " " " "	2986 A
" " " " " "	2987 A
" " " " " "	2988 A
Proposed arrangement Buffing gear Passenger Cars, 5'-3" Gauge	2992 A


8 2273 A

8 2301 A

8 2590 A

TYPE.	NO.
Draft gear housing and stop, Suburban Car	2994
" " details, Officers' Inspection Car	3017 A
" " " " " " " "	3018 A
" " " " " " " "	3019 A
" " " " " " " "	3020 K
" " " " " " " "	3021
Arrangement of platform buffer Observation End	3023 A
" " " " " auto. couplers	3046
Details of 2 1/2 ton self contained buffer, auto. couplers	3060 A
Arrgt. " " " " " " " "	3061 A
Draft gear details - auto. couplers	3062 A
" " " " " " " "	3063 A
" " " " " " " "	3064 A
" " " " " " " "	3065 K
" " " " " " " "	3066 A
" " " " " " " "	3067 A
Arrangement of platform buffer, Pass. cars	3099
Screw coupling Sub. Car, auto. couplers	3100 A
Platform buffer " " " " " "	3101 A
Spring cup (Platform buffer details) auto. couplers	3103 A
Draft gear details - auto. couplers	3106 A
Packing to reduce travel of buffers, Observation end	3364 A
Draft gear details	3378 A
Auto. coupler details, Model 55 Rail Car Trailer	3503 A
Arrangement and details side buffer, Bogie Horse Box	3530
Draft gear details	3531
Alteration draft gear "C" "CC" "CX" 3'-6" Gauge	3580
" " " " " " " "	3581 A
" " " " " " " "	3582 A
Draft gear stop "C" "CC" "CX" "X" & "Y" " "	3610 A
Proposed standard drawgear 3'-6" Gauge	3611
" " " " " " " "	3700 A
Arrangement striking horns and uncoupling gear brakes	3701 A
Draft gear details	3702 A
" " " " " " " "	3758
Arrangement of draft gear 500 J 600 PASS CARS. (STEEL)	3759 A
Welding arrangement of draft gear	3760 A
" " " " " Platform buffer	3761 K
Draft gear details	3762 K
" " " " " " " "	3763 A
" " " " " " " "	3764 A
" " " " " " " "	3765 A
" " " " " " " "	3766 A
" " " " " " " "	3767 K
Screw coupling	3860
Drag hook pin 3'-6" Gauge	3872 A
Arrangement of draft & Buffing gear, Joint Stock conversion	3890
Friction Buffing Gear " " " " " " " "	3891
Buffing gear details " " " " " " " "	3892
Draft & Buffing gear details " " " " " " " "	3893
Uncoupling gear " " " " " " " "	3894
Arrangement of side Buffing Spring " " " " " " " "	3895
Centering spring pocket " " " " " " " "	3896
Bell Cranks " " " " " " " "	3897
Buffing gear details " " " " " " " "	3953
Automatic couplers - Joint Stock conversion	3967
Arrangement of Draft Gear - 40 ton Hopper Wagon	4230 A
Draft gear details " " " " " " " "	4237 K
" " " " " " " "	4238 A
Auto. couplers conversion - Bulk Mail Van	4268
Uncoupled rod bracket publication	4270 A
Auto. coupler conversion Joint Stock "43 BE"	4286
Alteration of car "Murray"	4288 A
Draft gear details, Officers Inspection Car "Murray"	4289
" " " " " " " "	4290 A
" " " " " " " "	4295 A
Conversion of Draft Gear "W" Wagon 3'-6" Gauge	4300
Alliance coupler 3'-2" Shank (Joint Stock conversion)	4301 A
Draft gear details, Officers' Inspection car "Murray"	4305 A
Bottom application of knuckle pins on existing auto. coupler	5124
Uncoupling rod bracket, auto. couplers	5124
Draft gear details	5124

60



- D 3124 A
 B 3394 A
 B 3552 K
 B 3553 A
 B 3554 A
 B 3555 A
 B 3564 A
 B 3630 A
 B 3708 A

Coupler 5'3"

TYPE.	NO.
Proposed standard draw hook pin 3'-6" Gauge	4330
Swing links for transition buffer	4339
Arrangement of centre platform buffer for Brake Vans, 3'-6" Gauge	4342
Platform details for " " " " " "	4344
" " " " " " 5'-3" Gauge	4345
" " " " " " " "	4347
Uncoupling rod bracket, Steel Main Line Car	4357
Draft gear arrangement, Sheep Vans, 3'-6" Gauge	4367
" " details " " " "	4368
" " " " " " " "	4369
" " " " " " " "	4370
" " " " " " " "	4371
Transition buffer	4374
Draft gear arrangement - Composite Bogie Brake Van 3'-6" Gauge	4383
Transition buffer	4386
" " " " " " " "	4390
Knuckle pin for Joint Stock coupler	4397
Sheep Transfer wagon 4'-9 1/2" Gauge - coupler details	4417
" " " " " " " "	4452
Draft gear details 60ft. Brake van	4604
" " " " " " " "	4605
Uncoupling rod " " " "	4622
Welding arrangement, striking horn - 60ft. Brake Van	4625
Centering device guide plate, Brake Van 3'-6" Gauge	4699
Draw bar guide, 20 ton Bogie Louvre Class "VW" 3'-6"	4726
Side stem and details - Pullman Cars	4731
Draft gear arrangement, 20 ton Louvre Car 3'-6" Gauge	4753
Draft gear details, " " " " " " " "	4756
Scheme to adopt B.H.P. Co's couplers to Compo. Brake Van 3'-6" Ggs	4772
Coupler release gear " " " " " "	4773
Striking casting " " " " " "	4790
Draft yoke and pin " " " " " "	4791
Assembly clip for auto. coupler details	4921
Wearing plates on coupler centering casting and end sill <i>SEE DRAWING OF 1900</i>	4948
Draft gear, 30 ton Ore Wagon, 3'-6" Gauge	4965
Drag hook improved Type, 3'-6" Gauge	4978
Alteration to side stem guides, Steel Pass. Cars, 500 & 600 class	5010
Draft gear arrangement, Bogie Horse Box 3'-6" Gauge	5042
" " " " " " " " <i>TRAIL STEEL PASS CAR</i>	5135
" " details " " " "	5136
" " " " " " " "	5137
Welding arrangement of Platform buffer	5138
Draft gear details " " " " " "	5139
" " " " " " " "	5140
Drawbar support, 4-wheeled Sheep Van 3'-6" Gauge	5245
Arrgt. & Details of draft stops " " " "	5246
Auto. coupler Freight Cars 5'-3" Gauge	5380
Bogie louvre car class "VW" 5'-3", alteration to side buffers	5282
Alteration to coupler centering gear 5'-3" Gauge	5274
Arrangement of draft gear for 30 ton Ore Wagon, 3'-6" Gauge	5285
" " Stops & Housing for draft gear, 30 ton Ore Wagon	5289
Follower blocks for draft gear	5291
Draft gear details, draft gear 30 ton Ore Wagon	5293
" " " " " " " " 4-wheeled sheep van 5'-3" Gauge	5425
Arrgt. of draft gear, 20 ton Louvre Cars Class "VW"	5433
Bogie Ore Wagon 3'-6" Gauge, safety chains (5'-3" Modified)	5447
Single type drag hook, 3'-6" Gauge	5468
Bogie Ore Wagon, drag hook carrier	5469
Shim on carry iron for adjustment of auto. coupler height	5475
Four-wheeled sheep van 5'-3" Gauge uncoupling rod bracket	5476
Draw gear stop "C" "CC" "CX" "Y" "X" & 3000 gall. water tank	5485
Draft gear details	5505
Arrangement of draft gear round end, Vice Regal Car	5510
Draft gear details for Vice Regal Car	5530
" " " " " " " "	5533
Draft " " " " " " " "	5538
Bridle coupling heads, Bogie Ore Wagon, 3'-6" Gauge	4730
Cast steel buffer for "Waugh" E-10-A Draft Gear 3'-6" Gauge	4966

C 4966K

SECTION No. 6-C.

* TRACKING ISSUED TO STA. METRO-RAIL

1M-3.48 3891

Drawn	Title	Supersedes	Size	No.	Class
	SHUNT WAGON FOR WOLSELEY.				
H.L.	ARRANGT, & DETAILS OF TRAVERSING BUFFER FOR		B (A)	6000	
"	ROLLERS & CAGE FOR DRAFT GEAR. FOR DITTO.		D (A)	6001	
W.P.H.	ALTERATION TO BUFFERS WORKING WITH "OVERLAND"		D (A)	6002	"DWP" & "DP" 5'-3" GAUGE.
H.L.	DRAFT GEAR & PLATFORM DETAILS.		B (A)	6003	N.G. CARS TO
"	DRAFT GEAR DETAILS		C (A)	6004	" "
F.F.B.	DRAW & BUFFING GEAR FOR		B (A)	6005	"W" WAGONS 3'-6" GAUGE
J.C.	DRAFT GEAR STOP		C (A)	6006	3'-6" GAUGE
J.C.	DRAFT GEAR ARRANGEMENT		*	6007	800
L.B.H.	COUPLER CENTERING GEAR CASTING		*	6008	5'-3" GAUGE
F.C.	DRAFT GEAR DETAILS		*	6009	800
J.D.	" " "		*	6010	800
"	" " "		*	6011	800
"	WELDING ARRANGEMENT OF DRAFT GEAR		*	6012	800
A.R.T.	DRAFT GEAR DETAILS, WAGONS WITH 14'3" BOGIE CENTRES		C (A)	6013	"ON"ORE WAGON 3'-6" GAUGE.
S.W.H.	WELDED CHEEK PLATES		C (A)	6014	5'-3" GAUGE
"	30 TON GONDOLA CAR ARRGT. DRAFT GEAR		B	6015	3'-6" GAUGE
"	" " " " " " " " DETAILS		C (A)	6016	"
F.W.B.	REAR STOP FOR DRAFT GEAR FOR TANK CARS, STD. 30 (WELDED) UNDERFRAME (WELDED) detail (A)		C (A)	6017	5'-3" GAUGE
A.H.M.	No.2 Freight Draft Gear Arrgt. 5'3" (using fabricated detail)		C (A)	6018	5'3" GAUGE
"	Rear Stop No. 2 Draft Gear		C (A)	6019	"
"	Check Plates Yoke Support No.2 Draft Gear		C (A)	6020	"
"	Striking Plate No.2 Draft Gear		C (A)	6021	"
"	No.2 Freight Draft Gear Arrgt. 5'3" G (using fabricated details)		C (A)	6022	"
"	Cheek Plate and Draft Yoke Support		C (A)	6023	
"	Striking Plate		C (A)	6024	
D.A.G.	Arrgt. of Draft Gear Caboose Car 4'8-1/2 Com Rlys.		C (A)	6025	
A.H.M.	Arrgt. of Draft Gear 40 Ton Hopper Wgn 5'3" G.		C (A)	6026	
	Arrgt. of Draft Gear Bogie Cattle Van 3'-6" G Conversion of Model 55			6027	3'-6" G.
F.W.B.	Alteration to Draft Gear & Details Rail Car 5'3" G		B (A)	6028	3'-6" GAUGE
A.H.M.	Draft Gear details Sub Pass Cars (Glanelg) 5'3" G		C (A)	6029	
				6030	
D.G.	Draft Gear Arrgt. Sheep Cattle Vans		B	6031	3'-6" G.
F.W.B.	Assembly of All-Welded Std. Buffer Head.	(A)	C	6032	3'-6" GAUGE
			B	6033	
P.P.H.	Draw Bef cradle 3'-6" Gauge	(A)	B C	6034	3'-6" Gauge

SECTION No. 6-C

1M-3.

Class	Drawn	Title	Supersedes	Size	No.
		(to Automatic & Narrow gauge coupler)			
5'-3" G.	R.L.G.	Sheep Transfer Wgn 5'3"G. to 3'6"G conversion	(A)	B	6035
5'-3"G	E.D.A.D.	Draft Gear Arrangmt Steel Brake Van(Freight)		B	6036
"	E.D.A.D.	" " Details " " "		B	6037
STANDARD	R.M.	Draft Gear Cheek Plate (Drop Forged)	(A)	C	6038
3'6" G.	F.W.B.	Draft Gear Arrgt. Bogie Louvred Car Class"VW"	(A)	B	6039
"	H.L.	Draw Car Support 4 wheeled Sheep Van			6040
"	"	Conversion to 5'3" G 5000 Gall Oil Tank Cars	(A)	B	6041
"	F.C.	Draft Gear Housing 25 ton Hopper Car		B	6042
"	"	" " Arrgt. 25 ton " "		B	6043
5'-3" Gauge	"	Welding arrgt. showing fixing of coupler to coupler shank suburban passenger cars.	(A)	C	6044
"	H.L.	Fabricated Carry Iron for Freight Draft Gear	(A)	C	6045
"	F.W.B.	Fabricated Striking Plate 4 wheeled louvred car	(A)	B	6046
"	N.E.W.	Arrgt. Draft Gear Steel Brake Van-Passenger	(A)	A	6047
"	"	Coupler Centreing Casting " "	(A)	B	6048
"	"	Draft Gear Wearing Strips and Bushes"		B	6049
"	"	Draft Gear Details		B	6050
"	"	Draft Gear Details			6051
"	"	Welding Arrgt. of Draft Gear			6052
"	"	Welding Arrgt. of Platform Buffer			6053
"	H.L.	Fabricated Carry Iron for Freight Draft Gear	(A)	B	6054
"	"	Fabricated Carry Iron for Freight Draft Gear			6055
"	"	"Peerless" Draft Gear applied to Y Wagon	(A)	B	6056
"	"	Striking Plates for "Peerless" Draft Gear			6057
"	E.D.A.D.	Draft Gear Arrangement - Cafeteria Car	(A)	A	6058
"	"	Fabricated Coupler Centreing Gear Housing		B	6059
"	"	CANCELLED	(A)	B	6060
"	"	Uncoupling Rod Bracket	(A)	C	6061
"	"	Fabricated Buffing Gear Side Stem Rear Guide	(A)	C	6062
"	N.E.W.	Fabricated Platform Buffing Gear Pocket	(A)	C	6063
"	R.L.G.	Platform top buffing plate End diaphragm Cafeteria Car	(A)	D	6064
"	"	Buffing Plate Stiffener End Diaphragm	(A)	C	6065
"	"	Top Buffing plate gusset End Diaphragm	(A)	D	6066
"	"	Top Buffing plate gusset End Diaphragm	(A)	D	6067
"	B.C.F.	Coupling Rod and Support (Cafeteria Car)	(A)	B	6068
"	H.L.	"Alliance" Auto Coupler Peerless Draft Gear	(A)	D	6069

SECTION No. 6-9

IM-3.48 3891

Drawn	Title	Supersedes	Size	No.	Class
	suspended by D6-C-6175				
H.L.	Striking Casting Peerless Draft Gear			6070	5'3"
"	Cheek Plate suspended by D6-C-6174			6071	"
E.D.A.D.	Safety Chains A-BB - C Wagons			6072	3'6"
				6073	
D.E.H.	Narrow gauge Draw Hook		C	6074	"
F.J.B.	Arret of Draft Gear for OCN Class Cars		B	6075	"
"	Spring Packing Washer	(A)	E	6076	"
"	Draw bar nut washer	(A)	E	6077	"
"	Striking Plate	(A)	E	6078	"
"	Striking plate rubbing plate	(A)	E	6079	"
"	Draw Bar	(A)	E	6080	"
"	Draw bar wearing plate	(A)	E	6081	"
G.L.C.	Striking Plate for "Peerless" Draft Gear	(A)	D	6082	5'-3"
"	Arrgt. Draft Gear - 16 tons Open Wagon	(A)	B	6083	"
"	Striking Casting Wear Plate " "	(A)	E	6084	"
"	Uncoupling Rod Bracket CANCELLED for future see 6-C-6101			6085	"
"	Uncoupling Rod " " "	"	D	6086	"
"	Uncoupling Rod Bracket " " "	(A)	D	6087	"
"	Uncoupling Rod Bracket " " "	"	E	6088	"
R.L.G.	Arrgt. of No.2 Draft Gear for Workmens Sleeping Van	(A)	C	6089	5'-3" Gauge
G.L.C.	Spring plate - Waugh Draft Gear	(A)	D	6090	"
W.P.H.	Stop Plates, for Limiting Swing of Swivel Coupler	(A)	C	6091	Flat Tank Car
P.W.B.	Uncoupling Rod-4 Wheel Louvre Car	(A)	D	6092	5'-3"Gauge
A.C.B.	Spring plate Waugh Draft Gear BK 80, E-10-A	(A)	D	6093	
"	" " " " " P4	(A)	D	6094	
GLC	Middle Drawbar	(A)	D	6095	3'-6" gauge car
"	End Drawbar	(A)	D	6096	" " "
"	Drawbar Nut	(A)	E	6097	" " "
"	Drawbar Check Nut	(A)	E	6098	" " "
"	Drawbar Nut	(A)	E	6099	" " "
"	Drawbar - 3'-6" gauge	(A)	C	6100	" " "
P.W.B.	Uncoupling Rod Bracket "OF" WAGON DWF Louvre Car	(A)	D	6101	5'-3" Gauge
GLC	Drawbar 3'-6" gauge	(A)	D	6102	L. Cattle Van
"	Drawbar Guide Bar	(A)	D	6103	3'-6" Freight Cars
"	Drawbar Guide Bar End	(A)	D	6104	" " "

SECTION No. 6-C

1M-3/

Class	Drawn	Title	Supersedes	Size	No.	
G.L.C.		Drawbar Guide Bar Nuts	(A)	E	6105	
"		Drawbar Guide Bar Assy.	(A)	C	6106	
"		Drawbar Washer	(A)	D	6107	
"		Headstock Face Plate	(A)	D	6108	
"		Drawbar Cradle Washer	(A)	E	6109	
R.C.H.		Uncoupling Rod Support	(A)	D	6110	
G.L.C.		Drawbar Guide Plate	(A)	E	6111	
"		Drawbar Cradle Safety Carrier	(A)	D	6112	
W.P.H.		Side Stem rear guide Baby Clinic ^{5'-3"} Car No:3		D	6113	
"		" " front guide " " " " " "		D	6114	
"		Side Stem Sleeve " " " " " "		D	6115	
G.J.D.		Draft Gear Arrgt. 70ft. Motor Body Transport Wgn	(A)	B	6116	
"		Uncoupling Rod " " " " " "	(A)	D	6117	
"		" CANCELLED " " " " " "	(A)	E	6118	
"		" CANCELLED " " " " " "	(A)	E	6119	
W.P.H.		Uncoupling Rod	(A)	D	6120	
"		" " Bracket	(A)	D	6121	
W.S.		Arrg. I of Draft Gear- Joint Stock Pas. Cars	A X		6122	5'-3"
J.P.A.		Cover plate for Peerless Draft Gear	(A)	E	6123	
G.J.D.		Automatic Coupler - Freight Vehicles		C	6124	5'-3"
"		Coupler Centering Casting	(A)	D	6125	"
L.J.C.		Striking Casting		C	6126	"
G.J.D.		CANCELLED 70ft. Motor Wgn	(A)	D	6127	
"		Coupler Shank Wear Plate " " " "		E	6128	
"		Centering Casting Weat Plate " " " "		E	6129	
"		Coupler Carrier Assy. " " " "	(A)	D	6130	
"		Coupler Carrier Bar " " " "		E	6131	
L.J.C.		Crank for Uncoupling Gear " " " "	(A)	D	6132	
"		Carrier Bracket for Lifting Bar " " " "	(A)	D	6133	
J.P.A.		Platform Side Stem Sleeve - J.S. Roomette Car		E	6134	
L.J.C.		Support for Uncoupling Crank 70' Motor Wgn.	(A)	D	6135	
J.P.A.		Side stem Rear Wear Bush " " " "		E	6136	
"		Platform Side Stem " " " "		D	6137	
R.W.K.		" " " Sleeve " " " "		E	6138	
E.D.A.D.		Coupler Operating Rod " " " "		C	6139	

SECTION No. 6-C

13-3.48 3891

Drawn	Title	Supersedes	Size	No.	Class
E.D.A.D.	Coupler Carrier - J.S. Roomette Car		D	6140	
"	" " Bracket " " "		D	6141	
"	" " Assembly " " "		D	6142	
"	" " Packing " " "		D	6143	
J.P.A.	Side Stem Nut	"	"		Suspended by E.S. 134
"	Buffer Housing Cover Plate"	"	D	6145	
R.L.G.	Bush for Side Stem	"	E	6146	
L.J.C.	Fabricated Draft Gear Yoke (No existing drawing)			6147	"OA" Wagon
"	Uncoupling Gear Lifting Bar	(A)	D	6148	"
"	Pin for coupler centering Device	(A)	E	6149	"
"	Uncoupling Rod Bracket	(A)	D	6150	"
R.L.G.	CANCELLED See 16-C-6105			6151	Roomette Cars
J.M.O.	Modification to Draft Gear	(A)	C	6152	
D.E.H.	Experimental coupler head	(A)	C	6153	3'-6" G.
F.W.B.	Spigot for Front Follower Block		D	6154	5'-6" G.
D.E.H.	Modified rear Draft Stop for CLTB Wagon	(A)	B	6155	3'-6" G.
	Platform Buffing Gear for New Seat-		D	6156	5'-3" G.
F.J.B.	ing pass. Cars. Arret of Centre Buffer				
	Arret of Platform Buffing Bear	(A)	B	6157	"
	New Seating Passenger Cars.				
F.J.B.	Back Plate Support Web	(A)	E	6158	} Car EA-C-6055 5'-3" Gauge
"	Housing Centre Web	(A)	E	6159	
"	Buffing Stem Support	(A)	E	6160	
"	Centre Buffing Stem	(A)	E	6161	
J.P.A.	Side Stem guide afront	(A)	D	6162	
A.C.B.	Buffing Plate Stiffener	(A)	D	6163	" "
"	" " Gusset " " "	(A)	E	6164	" "
"	" " " " " "	(A)	E	6165	" "
"	" Top Plate	(A)	E	6166	" "
"	" Plate	(A)	E	6167	" "
"	Side Stem Bracket	(A)	D	6168	" "
"	" " " " " "	(A)	D	6169	" "
"	" " Pin	(A)	E	6170	" "
"	" " Liner	(A)	E	6171	" "

New Seating Pass. Cars
 5'-3" Gauge
 Sch. C-361

SECTION No. 6-C

1X-3.4

Class	Drawn	Title	Supersedes	Size	No.
5'-3 Gauge 4500G. Sulphuric Acid tank car	A.C.B.	New Seating Side Stem rear guide Assy. Pass. Cars.	(A)	D	6172
5'3"G. for B.H.A.	F.J.B.	Arret. of "Peerless" Draft Gear for Standard 30 ton underframe supersedes 6-C-6071		B	6173
5'-3" Gauge	L.J.P.	Cheek Plate Peerless Draft Gear supersedes 6-C-6070		D	6174
" "	"	Striking Casting Peerless Draft Gear		D	6175
4-wheel sheep Van 5'3" Ga.	"	Uncoupling Rod		D	6176
" "	"	" " Bracket		D	6177
3'6" Hopper Car 5'3" 40 & 50 Ton	A.J.L.	Safety Chains		C	6178
"	H.L.	"Peerless " Draft Gear Arrg.t.	(A)	B	6179
"	"	Uncoupling Rod		D	6180
"	"	Cheek Plate		D	6181
"	"	Wear Plate for Striking Casting		E	6182
Cafeteria Car	K.S.E.	Side Buffing Stem Guides Amended CANCELLED	(A)	D	6183
Joint Stock		Coupler Side Shops (For Trial)		C	6184
Gondolas class CME. 6/51	O.K.G.W.	Peerless Draft Gear Arrgt.	(A)	B	6185
5'3"	F.A.G.	Arrgt. Auto Coupler - Caboose Cars (12045 (WAS DRG NO.))	(A)	B	6186
Compo Bogie Brake Vans	E.D.A.D.	Reinforcement Bars added to Auto Couplers	(A)	C	6187
	K.G.W.	Uncoupling Rod		D	6188
		Radial Draw-bar 3'6"G/ for Peerless Friction Draft Gear Resewed ???	(A)	B	6189
OTN' Open Wgn. 3'-6"G	R.J.B.	Safety Chain Anchor	(A)	E	6191
OTN' Open Wgn. 3'-6"G	"	Wearing Plate	(A)	E	6192
"	"	Wearing Plate Anchor	(A)	E	6193
J.S. Cars	A.R.T.	J.S. Coupler Wearing Plates (for trial)		D	6194
"	R.J.B.	Top Plate		E	6195
"	G.J.D.	Improvised Coupler for transporting 3'6" Gauge Bogie Sheep vans on 5'3" gauge bogies	(A)	C	6196
Steel Brake Van Goods 5'3" Ga.	C.R.D.	Reinforcing Automatic Couples		C	6197
Joint Stock Cars Roomette & B.	H.L.	CANCELLED See Drg. 5-C-6597	K.G.W.		
"	"	Draft Gear Details		C	6199
"	"	Draft Yoke Support Assy.		D	6200
"	"	" " " Details		D	6201
Roomette, Twinette J.B.J. & Cafeteria	R.M.F.	Coupler Side Stops		C	6202
5'-3"G	H.L.	Built up Cheek Plates O.A. Wagons	(A)	D	6203
5'-3"G	"	Roomette, Twinette A.J. B.J. Coach Cars Controlled Slack Coupler Assy.		B	6204

SECTION NO. 6-C

* TRACING ISSUED TO S.T.A. METRO RAIL.

500-1.51 5461

Drawn	Title	Supersedes	Size	No.	Class
H.L.	Side stem centering device assy.		C	6205	500,600, class 5'3" ga.
R.G.K.	Arrgt. of uncoupling gear ∞		A	6206	400 HP diesel rail car.
"	Uncoupling crank		D	6207	"
"	Uncoupling rod		C	6208	"
"	Uncoupling lever		C	6209	"
"	Crank bracket support		D	6210	"
K.G.W.	Draft gear arrgt.		B.	6211	Compo. brake vans 5'3" ga.
K.G.W.	Uncoupling rod bracket		D	6212	"
F.A.G.	Draft key cotter spacer		E	6213	5'3" ga.
M.L.N.	Arrgt. of draft gear	(A)	B	6214	Welded O cars 5'3" ga.
A.J.R.	Draft gear assy.		A	6215	J.S. cars
"	Side stop housing		C	6216	J.S. cars
"	Wear pads		D	6217	J.S. cars
J.M.O.	Arrgt. of draft gear		A	6218	400 HP R.D.C.
A.J.R.	Rubber pad	(A)	E	6219	J.S. cars
J.M.O.	Coupler carrier assy.		D	6220	400 hp R.D.C.
L.J.H.	Upset draw bar	(A)	C	6221	ON cars 3'6" ga 2nd class
E.D.A.D.	Coupling adapter (Royal Progress)	(A)	C	6222	Lavatory cars J.S. cars
K.G.W.	Yoke support assy.	D/6-C-6200	C	6223	5'3" ga.
K.G.W.	Draft gear - national - on caboose car	(A)	B	6224	Caboose car
C.J.K.	Arrgt. of rubber cushioned type draft gear in existing 800 & 850 class pocket.	*	B	6226	Sub. diesel non power car
K.G.W.	Draft gear details	(A)	D	6227	Caboose car
R.G.K.	Arrgt. of draft gear and platform buffing gear.	*	A	6228	300 Cl. Sub. R.J.
R.G.K.	Arrgt. of uncoupling gear CANCELLED. SEE B/6-C-6557 FOR FUTURE		A	6229	"
F.J.B.	Arrgt. of draw and buffing gear	10868 (A)	B	6230	Baby healt centre car
F.J.B.	Draw bar	10074A (A)	D	6231	3'6" ga. "
F.J.B.	Draw bar nut and washer	10074A (A)	E	6232	"
F.J.B.	Draw and buffing gear bolt	10074A (A)	E	6233	"
F.J.B.	" " " " sleeve and washer	10074A (A)	E	6234	"
F.J.B.	Draft gear springs	6246 (A)	D	6235	"
C.J.K.	Arrgt. & details of draft gear	*	B	6236	800 cl. non power
C.J.K.	Arrgt. & details of uncoupling gear	*	A	6237	800 class non power
F.J.B.	Back plate for buff. shoe housing	(A)	E	6238	Cl.X cars 3'6" Cl.Y cars 3'6"

SECTION NO. 6-C

* TRACING ISSUED TO S.T.A. METRO-RAIL.

500-151 5:61

Drawn	Title	Supersedes	Size	No.	Class
OA cars 5'3" g.	R.H.F. Draft gear details.	(A)	D	6239	
Ref. Cars C620	K.G.W. Draft gear arrgt.		B	6240	
"	" Draft gear stops		C	6241	
"	" Draft gear details cancelled see A/6-C-6228/B		B C	6242	
300 class	C.F.J. Platform buffing gear		A	6243	
5'3" ga. Cl. X & Y	L.J.H. Arrgt. of industrial coupler & draft gear	*	C	6244	
3'6" ga. trailer	M.L.N. Arrgt. of draft gear	(A)	B	6245	
870 class	A.J.C. Arrgt. and details of draft gear (F & R)	*	A	6246	
"	A.J.C. Arrgt & details of coupler Operating gear	*	A	6247	
HC cement hopper wagon Sch. C628 DBP	Draft gear arrangement.		B	6248	
"	D.B.P. Draft gear stops		C	6249	
"	D.B.P. Coupling rod		D	6250	
"	D.B.P. Angle bracket		D	6251	
300 class	D.J.C. Instruction plate	*	E	6252	
300 class	N.B. Rubber pad - draft gear side stops	*	E	6253	
Dynamometer car 4500 g. tank car FJB	Cushioning spring and buffing and pulling gear		E	6254	
AC u/frame 5'3" ga.	Uncoupling rod	(A)	D	6255	
300 class	K.G.W. Spring coupler carrier	*	D	6256	
860 class	K.G.W. Modification to coupler carrier	*	D	6257	
300 class	K.G.W. Draft gear stops	(A)	C	6258	
860 class	R.H.F. Modification to striking casting		C	6259	
transfer sheep wagon Sch. C655 DBP	Alternative couplers for R.C.	*	C	6260	
HC cement hoppers Sch. C. 628	Uncoupling rod bracket		E	6261	
300 & 860 class R.C. 5'3" ga.	Side stop housing	*	D	6262	
HC cement hoppers C. 628	Rubber pad	*	D	6263	
Regal	F.W.B. Coupler carrier	*	D	6264	
"	F.W.B. Draft gear stops	*	C	6265	
"	K.G.W. Arrgt. of draft gear & platform (vest. end)	*	A	6266	
"	F.W.B. Yoke support packing	*	E	6267	
"	K.G.W. Uncoupling rod carrier	*	D	6268	
"	P.B.B. Coupler carrier (vest. end)	*	C	6269	
"	P.B.B. Guide for equalising lever		D	6270	
5'3" ga.	F.W.B. Knuckle pin for "alliance" auto coupler		D	6271	

SECTION No. 6-C

500-9.61 6841

Drawn	Title	Supersedes	Size	No.	Class
J.H.B.	Draft Pin	(A)	D	6272	R.R.P. H.C. Cement Hopper DRB's 280 Class
G.K.T.	Draft gear support		D	6273	Rail Car 280 Class
"	Coupler carrier assy "B" end		D	6274	Rail Car
F.J.B.	Alt. to Draft Gear in 6000 G.R./TankCar	R265/30 RTC/405	A	6275	Sched C. 730 TG7995 3'6"G.
"	Rear casting for draw and buffing gear Modification to existing striking casting and coupler for waughmat.	Part C 6-W-1264	E	6276	XX YY 3'-6"G.
"	Draft Gear type D.C.4	NOT ISSUED	B	6277	Cl. O 5'3"G. Cl. 'FB'
"	Arrgt. of Waughmat Draft Gear Type D.C.4		B	6278	5'3"G.
"	Striking casting for Waughmat Draft Gear type D.C.4	NOT ISSUED	D	6279	Cl. 'O' 5'3"G.
"	Coupler support for type DC4 Draft Gear	NOT ISSUED	E	6280	"
"	Draft gear stops assy (This Drg. Superseded by B/6-C-6311)	(A)	C	6281	"
"	Coupler support & Plate		D	6282	Sched. C. 748 Cl. 'C' 5'3"G.
R.H.G.	Draft gear stops assy		C	6283	C. 742
R.E.R.	Arrgt of draft gear		B	6284	" Cement Hopper
R.H.	Striking casting		C	6285	Sched. C. 742 Wagon 5'3"
"	Coupler support		E	6286	"
"	Draft gear stops		C	6287	"
D.G.J.	Draft stop and gusset	(A)	C	6288	5'3" Gauge
"	Draft yoke details	(A)	C	6289	"FV" flat
"	Draft sill	(A)	C	6290	cars
"	Draft sill gear arrangements	(A)	B	6291	" "HCA" Cement
D.J.I.	Uncoupling rod		D	6292	Hopper 5'3"G.
"	Uncoupling rod bracket		D	6293	"
"	Draft gear arrgt.		B	6294	"
D.G.	Support bracket assy	(A)	D	6295	"
"	Draft gear details	(A)	D	6296	"
"	Uncoupling rod	(A)	D	6297	"
D.G.J.	Draft gear stops		C	6298	8300 class
"	Uncoupling rod		B	6299	Brake van
"	Draft gear assy		B	6300	"
"	Uncoupling rod bracket extension	(A)	D	6301	"
A.H.M.	Draft gear modification	(A)	B	6302	OCN & ODN 3'6"G.
EDAD	Draft gear arrgt. (conversion)	(A)	B	6303	ON Wagons 3'6"G.
"	Coupler		C	6304	"
"	Uncoupling rod		D	6305	"

SECTION No. 6-C

500-9.61 6841

Class	Drawn	Title	Supersedes	Size	No.
ON Wagons					
3'6"Gauge FB.O. & OWP 5'3"G.	EDAD	Draft gear details	(A)	D	6306
"	R.E.R.	Draft stops to suit 6" yoke		C	6307
'C'Vans 5'3"G Dynamometer Car	"	Draft stops to suit 6" yoke		C	6308
"	L.G.T.	Friction draft gear details		B	6309
"	"	Friction draft gear assy		B	6310
"FB" cars F.B. + FBF	R.E.R.	Modified draft gear stops assy	C/6-C-6281	B	6311
"O" & "OWP"	"	Draft gear arrgt. (6" yoke)		B	6312
Steel Pass Cars 8300 Cl.Brake	WS	Draft gear arrgt alterations	(A)	A	6313
Vans Sch.C.798	FJB	Draft gear assy		B	6314
"	"	Draft gear stops assy		C	6315
8300, HCA, O, DRP & HC CL. cars	G.S.B.	Automatic Coupler		C	6316
3'6"G. Bogie Open Wagon	G.J.D.	18-1/2" draft yoke		C	6317
"	G.S.B.	Draft gear arrangements		B	6318
3'6"Ga. Accid. Van Open Wagon	R.R.B.	Special coupler (welding details)		C	6319
3'6"Gauge Bogie Ore Wgn	K.G.W.	Draft gear arrgt.		B	6320
3'6"G. Bogie Open Wgn	G.J.D.	Draft gear stops	(A)	C	6321
3'6"G. Cl. "TAU"	K.G.W.	Draft gear stops	(A)	C	6322
Sched. C.	F.J.B.	Draft gear stop assy	(A)	B	6323
"	"	Draft gear assy	(A)	B	6324
Bogie Open Wagon 3'6"G.	K.G.W.	Draft gear details	(A)	B	6325
HCA Cement Hopper C.849	EDAD	Draft gear stops (6" yoke)		C	6326
"	"	Draft Yoke 6"		C	6327
Bogie sleeping van 3'6"G.	R.E.R.	Draft Gear Arrgt.		B	6328
Bogie Ore Wgn. 3'6"G.	K.J.E.	Draft Gear Arrgt.	(A)	B	6329
"	"	Uncoupling rod	(A)	C	6330
"	G.J.D.	Uncoupling rod bracket		D	6331
"	"	Uncoupling chain		D	6332
3'6"G.	N.R.B.	Transition coupler (casting)		B	6333
5'3"G. 5'3"G. Acid Tank car	R.E.R.	Spigot for front follower block	6-C-6154	D	6334
"	C.M.V.	Draft Gear assy		B	6335
3'6"G. 5'3"G. Acid Tank car	EDAD	1" down set draw bar		C	6336
"	C.M.V.	Draft Gear Stops		C	6337
"O" cars 5'3"G Intra-State Coach Cars 'RN' Cl.	R.H.F.	Striking casting support gusset		D	6338
"	W.S.	Draft Gear Assembly		A	6339
Insulated vans	KGW	Modification to drag Box		D	6340

SECTION No. 6-C

Drawn	Title	Supersedes	Size	No.	Class
"	K.J.E. Automatic Coupler Interlocking shelf		C	6341	Motor transpt. vehicle.
"	Draft Gear Stops		C	6342	" "
A.R.B.	Draft gear yoke assy		C	6343	Intra-State Coach cars
"	Draft pin	(A)	E	6344	" "
K.J.E.	Draft gear Arrgt.		B	6345	Motor trans. vehicle.
"	Draft gear Details		D	6346	Motor trans. vehicle.
EDAD	Draft gear arrgt. Convrns(3'6"G. P.B.)	CANCELLED	A	6347	Tank cars 3'6"G.
"	Uncoupling Rod assy	"	C	6348	"
"	Draft Gear details	"	C	6349	"
K.G.W.	Draft gear Arrgt.	(A)	B	6350	Bogie Insulated vans 5'3"G.
"	Draft gear stops	(A)	C	6351	" "
"	Uncoupling rod	(A)	E	6352	" "
EDAD	Draft gear arrgt convrsn (3'6"G) (PB)	Not issued	(A) A	6353	Tank cars 3'6"G.
"	Uncoupling rod & bracket	Not drawn	D	6354	"
"	Draft gear arrgt. convrsn (3'6"G) (PB)	Not issued	(A) A	6355	"
"	Uncoupling rod & Tie Plate Gussets for stiffening coupler stop housing and end sill	Not drawn	D	6356	"
MHJ	Diagram of draft gears of 3'6" wagons	Not issued	D	6357	250 & 280 & 100 class
EDAD	for conrsn to Auto couplers-P/borough	Div (A)	A	6358	3'6"G.
"	" " "	Not issued	(A) A	6359	3'6"G.
J.M.O.	Special coupler(welding details)		C	6360	Workmen's Sleep vans.
EDAD	Conversion to heavy draft gear	(A)	B	6361	T.T. Wagons 3'6"G.
K.J.E.	Striking casting (fabricated)	Not Drn.	B	6362	"ALX" wagons 5'3"G
CMV	Draft gear arrgt.(4 wheel wagon)		B	6363	4 wheel open Wgn.5'3".
"	Draft gear stops		C	6364	"
F.J.B.	Draft gear assembly	(A)	B	6365	Pay van No.153 3'6"G. SCH-
"	Draft gear housing	(A)	C	6366	" "
"	Draft gear details	(A)	C	6367	" "
"	Safety chains	(A)	D	6368	" "
EDAD	Draft gear stops (tank cars convrns to auto couplers)	CANCELLED	C	6369	1 TC, TP, TZ, TV, T.S.O. TS, TX, TOS, 3'6"G.
"	" " " " " "	"	C	6370	"
B.T.N.	Draft gear arrgt.		B	6371	50 ton flat wagon 4'8 1/2"G
"	Draft gear stops		C	6372	"
RBM	Details of Retainer on couplers YX wgn. Gypsum traffic Pt Lincoln.		C	6373	YX. trucks
FJB	Method of repair for Alliance unit radial coupler-Peerles friction draft gear.		C	6374	'O', 'OF', 'DWF'

SECTION No. 6-C

500-9.61 6841

Class	Drawn	Title	Supersedes	Size	No.
Ballast Hopper					
wagons 4'8 $\frac{1}{2}$ "G	C.B.H.	Draft Gear Arrgt		B	6375
Ballast Hopper wagons 4'8 $\frac{1}{2}$ "G	"	Draft gear stops		C	6376
Motor trans. OMX SCHC959	B.T.N.	Draft Yoke 3 $\frac{1}{2}$ "dia pin		C	6377
"	"	Automatic coupler 3 $\frac{1}{2}$ " dia pin 3'-3"		C	6378
"	"	Draft Gear arrgt		B	6379
"	"	Striking casting		C	6380
"	"	Draft stops - Front & Rear		C	6381
"	"	Draft gear details		D	6382
"	"	Draft gear details			6383
"	"	Draft gear pin	(A)	E	6384
"	"	Arrgt of uncoupling gear		B	6385
"	"	Lifting bar, uncoupling gear		D	6386
"	"	Details, uncoupling gear		D	6387
"	"	Details, uncoupling gear		C	6388
Sharon couplers freight veh.	KGW	Knuckle pivot pin		E	6389
"	"	Lift lever pin		E	6390
ELX class Sch C965	BTN	Draft gear arrgt		B	6391
"	"	Automatic coupler 3 $\frac{1}{2}$ " dia pin		C	6392
"	"	Front draft stop and striker	(A)	C	6393
"	"	Draft gear details		D	6394
"	"	Auto coupler follower plate	(A)	D	6395
"	RAB	Coupler carrier brkt.		D	6396
CE & D class J.S. vans	KGW	Draft gear assy.		B	6397
"	"	Yoke support		D	6398
4'8 $\frac{1}{2}$ "G.explos. van	GJD	Draft gear arrgt-explosives van 4'-8 $\frac{1}{2}$ "		B	6399
4'8 $\frac{1}{2}$ "G V.W. C-1000	RWS	Draft gear arrgt conversion		A	6400
"	"	Draft gear housing		C	6401
V.W. 4'8 $\frac{1}{2}$ "	"	Uncoupling rod		D	6402
"	"	Uncoupling rod brkt extension		D	6403
"	"	Draft gear details	(A)	D	6404
"	"	Coupler support	(A)	D	6405
Explosives van 4'8 $\frac{1}{2}$ "G.	GJD	Rear draft stops		D	6406
"	"	Draft yoke carrier	(A)	D	6407
"	"	Draft yoke carrier brkt.		D	6408
"	"	Uncoupling rod		D	6409
Vw 4'-8 $\frac{1}{2}$ "G. C-1004	RWS	Draft gear arrgt conversion		A	6410

SECTION No. 6-C

500-9.51 6841

Drawn	Title	Supersedes	Size	No.	Class
RS	Draft gear housing		C	6411	4'-8½" gauge VW C-1004
GJD	Draft gear arrangement		B	6412	4 wheel wagon 4'-8½" g. C-4006
GJD	Rear draft stop	(A)	D	6413	"
RRB	Draft gear housing		C	6414	VOW C-1007
RRB	Draft gear arrangement		B	6415	"
NRB	Draft gear arrangement		B	6416	4'-8½" insulated van C-1005
NRB	Draft gear details		D	6417	"
RRB	Draft gear conversion		A	6418	5000 gall. tank cars C-1002
GJD	Yoke carrier bracket	(A)	D	6419	4 wheel wagon 4'-8½" g. C-1006
JBM	Draft gear housing		C	6420	5000 gall. tank car C-1002
NRB	Draft gear arrangement conversion		A	6421	TS7913 TS7921 TS7925 Sch. 40 C-1012 4'-8½"
NRB	Draft gear housing conversion		B	6422	"
GMB	Sketch of the fabricated striking plated on class 'BDL' open wagon	(A)	C	6423	'BDL' open (Vic) wagon 5'3" g.
JWP	Draft gear arrangement for conversion		A	6424	Open wgn 'OBN' to 4'8½" C-1016
AJC	Draft gear arrangement for conversion		B	6425	RTC No. 5055 RTC No. 5056
AJC	Uncoupling gear arrangement for conversion		C	6426	"
EDAD	Rear draft stops assembly (fabricated)	(A)	D	6427	Explosive van 4'-8½" g. C-1003
JWP	Draft gear arrangement for conversion		A	6428	Conversion CN cattle van
RAB	Draft gear arrangement		B	6429	Cattle C-1020 Van C-1031
RAB	Yoke carrier (rear)		D	6430	"
JWP	Draft gear housing for conversion		C	6431	Conversion C-1020 cattle van
JWP	Details draft gear housing		C	6432	"
RWS	Draft gear arrangement conversion		A	6433	4'8½" g. C-1021 GN open wagon
JWP	Uncoupling rod		D	6434	Conversion C-1020 CN cattle van
JBM	Automatic coupler - 4'-0" shank x 3½" dia. pin	(A)	C	6435	'ALX' motor transport 5'3" C-993
CBH	Draft gear arrangement		B	6436	"
CBH	Striking casting and coupler carrier		C	6437	"
CBH	Draft yoke carrier bracket and bar		C	6438	"
CBH	Coupler carrier and uncoupling brackets		C	6439	"
RER	Draft gear arrangement "SFX"		B	6440	'SFX' flat wagon
RER	Rear draft stops - cast steel	(A)	D	6441	"
RGK	Draft gear arrangement bogie cattle van	(S.C.)	B	6442	4'-8½" g. bogie cattle van
RGK	Yoke carrier		D	6443	"
JMO	Draft gear arrangement		B	6444	6000 gall. acid tank wagon 5'-3" gauge
JMO	Draft yoke carrier bracket		D	6445	"

SECTION No. 6-5

500-9.61 6841

* TRACKING ISSUED TO S.T.A. METRO. RAIL

Class	Drawn	Title	Supersedes	Size	No.
300 & 400 50 ton flst wgn SFX 4'-8 1/2" g.	JHL	Connector for coupler operating rod	*	D	6446
	RAB	Yoke carrier		D	6447
	RAB	Gusset		E	6448
50 ton open wgn SFX 4'-8 1/2" g.	RAB	Yoke carrier		D	6449
"	JD	Draft gear arrangement		B	6450
Ballast Plough 4' 8 1/2" G-C1040	JBM	Draft gear arrangement		B	6451
"	JBM	Uncoupling rod bracket extension		E	6452
"	JBM	Uncoupling rod		D	6453
"	JBM	Yoke carrier		D	6454
"	JBM	Uncoupling rod bracket		D	6455
"	JBM	Gusset		E	6456
JS BJ C955 Workmen's Sl.	RHF	Clamp for plat. buff. gear		E	6457
Vans 4'-8 1/2" G	EDAD	Draft gear arrangement.		B	6458
Workmen's Sl. Vans 4' 8 1/2" G	JRL	Striking casting		C	6459
"	JRL	Uncoupling rod bracket		E	6460
Bogie Sheep Vans 4' 8 1/2" G-C1008	RMH	Uncoupling rod bracket		D	6461
Workmen's Sl. V. 4' 8 1/2" G-C1023	RMH	Bracket support		E	6462
C1221					
Cafeteria Car	FJB	Arrangement of Alteration to draft gear	(A)	A	6463
Cafeteria Car C1221	FJB	Headstock packing strip at Coupler Support	(A)	D	6464
Bogie Louvre V. C1024 4' 8 1/2" G	RAB	Draft gear arrangement		B	6465
"	RAB	Yoke carrier		D	6466
Sharon Auto couplers Workmen's Sl. V. C1045 4' 3 1/2"	GJD	Stop block (Coupler lockset shelf)	(A)	E	6467
Pass & Bogie Gos B. V. 3' 6" G	NRB	Bracket support		E	6468
"	FJB	Drag box assembly		C	6469
"	FJB	Alteration to draft gear		B	6470
"	FJB	Headstock tie angle		E	6471
11,000 g. water tank wg. 4' 8 1/2" G	JBM	Carrier bracket for draft yoke		D	6472
"	JBM	Draft gear arrangement		B	6473
SN Sheep vans Conv. C-1018	RAB	Draft gear arrangement for conversion		B	6474
"	RAB	Draft gear housing for conversion		C	6475
"	RAB	" " " Details for conversion		D	6476
300 & 400 cl. Rail Cars	JHL	Draft gear yoke assembly.	*	C	6477
WAGR brake van C.1237	NRB				
	RAB	Draft gear and coupler arrangement.	(A)	B	6478
WAGR brake van C.1237	RAB	Draft gear and coupler details.	(A)	B	6479
Joint stock Roomettes Twinettes & coach cars.	FJB	Alteration to coupler stops at head- stocks.		B	6480

SECTION No. 6-C

500-7.67 9844

Drawn	Title	Supersedes	Size	No.	Class
FJB	Coupler stops housing plates.	(A)	D	6481	Joint stock, roomettes, twinettes & coach cars.
FJB	Coupler stops top side, rubber pads.		D	6482	"
FJB	Coupler stops top centre, rubber pads.	(A)	E	6483	"
FJB	Arrgt of wearing strips on draft gear stops and supports.		B	6484	"
ARB	Draft gear arrangement.		B	6485	30 ton cement hopper 5'3" g. C.1265.
JD	Uncoupling rod.		D	6486	"
JD	Uncoupling rod bracket.		D	6487	"
JBM	Locking hook and chain for automatic couplers.		D	6488	J.S. cars
ARB	Draft gear arrangement.		B	6489	55 ton bogie ore wagon 4'8 1/2" g. C1051
ARB	Uncoupling rod.		D	6490	"
GAH	Coupler side and head stop housing.	(A)	C	6491	J.S. Cars
GAH	Coupler side stops housing details.	(A)	D	6492	J.S. Cars 4'8 1/2" g. C1046
PJG	Draft gear arrangement.		B	6493	well wgn 3'6" g. tank car TX7996.
JMO	Conversion to automatic couplers.		B	6494	Conv. bogie ore wgn 3'6" to 4'8 1/2" C.1019
ARB	Draft gear follower.		C	6495	Steel brake 3'6" gauge. Pt Lincoln
KJE	Draft gear stops.		C	6496	
KJE	Draft gear arrangement.		B	6497	
KJE	Draft pin 2" dia.		E	6498	"
KJE	Bushes .		E	6499	"
KJE	Draft gear details.		C	6500	"
ARB	Uncoupling Rod C-1019		D	6501	Conv. Bogie Ore Wgn 3'6" to 4'8 1/2"
BTN	Draft Gear Arrangement C-1290		B	6502	Ballast Hopp HBN 3'6"G
BTN	Draft Gear Stops		C	6503	"
"	Draft Gear Details		C	6504	"
"	Coupler Support		E	6505	"
ARB	Draft Gear Stops C-1019		C	6506	Conv. Bogie Ore Wgn. 3'6" to 4'8 1/2"
ARB	Draft Gear Arrangement		B	6507	"
JBM	Draft Yoke Carrier		D	6508	OBF Open Wagon C-1242
RWB	Uncoupling Rod		C	6509	JS Cars C-281 to C-1254
JHL	Draft Gear Arrangement C-1321 3'6"G		B	6510	Al. Grain Hoppers "HAN"
"	" " Stops " "		C	6511	"
"	Gusset		E	6512	"
CRD	Modified Draft Gear Arrangement		B	6513	Mod. to OX Wgns C-1331
CRD	Yoke Carrier	(A)	D	6514	"
C.R.D.	DRAFT GEAR DETAILS		D	6515	DI. SA&SB
GJD	Draft Gear Assembly		A	6516	Coach 4'8 1/2"G
GJD	Uncoupling Rod		C	6517	"

SECTION No. 6-C

500-7.67 9844

Class	Drawn	Title	Supersedes	Size	No.
Class "SA" & "SB" Coach 4'8-1/2"G	GJD	Draft Yoke		C	6518
"	GJD	Uncoupling Rod Bracket		E	6519
"	GJD	Draft Yoke Carrier		C	6520
"	GJD	Coupler Wear Plate & Yoke Packing		D	6521
63'0" Container RT 75' "	EDAD	Front Stop and Striking Plate		B	6522
"	EDAD	Draft Gear Arrangement		B	6523
Tank Cars 3'6" & 4'8 1/2"GA	JBM	Draft Gear Arrgt.	A.F.1183 A.F.1188	B	6524
63' Container Flat Wgn	CBH	Uncoupling gear Arrgt.		B	6525
"	CBH	Support For Lifting Bar		E	6526
Horse Box Conv C-1065 4'8 1/2"G	EDAD	Draft Gear Arrgt.	(A)	A	6527
"	EDAD	Bracket Support	(A)	E	6528
SGMX Open Wgn 5'3"G C-1346	VJS	Uncoupling Gear Arrgt.		B	6529
ALX 5'3"G C-1343	GMB	Draft Gear Arrgt.		B	6530
Tank Wagons 3'6"&4'8 1/2"	CBH	Draft Gear Arrgt. C-1064 Package		B	6531
" C-1064	CBH	Draft Yoke 3-1/2" dia. pin & 1'6-1/2"		C	6532
"	CBH	Draft Pocket Channel and Yoke Carrier Brackets C-1064		C	6533
OAX Wagons 5'3"G	AHM	Special Draft Yoke		C	6534
"	AHM	Draft Gear Modification		B	6535
"OAX" Wagon	AHM	Draft Gear Details		B	6536
"OAX" Wagons	AHM	Draft Gear Details		D	6537
"OAX" Wagons C-1064	AHM	Draft Gear Details		C	6538
C-1066	GMB	Draft Gear Follower		C	6539
"	GMB	Draft Gear Follower		C	6540
"	GMB	Rubber Draft Gear Assembly		D	6541
"	GMB	Bolt - Draft Gear Package		E	6542
Shell Co. Tank Cars C-1350	STSC DRC	Draft Gear Arrangements	4'8 1/2"G	B	6543
JS Inge C-1350	IHG	Plat. Buff. Gear Cover Plate		E	6543
JS Rmte C-1384	DJS	Draft Gear Arrangement		B	6544
JS Twnte C-1383	DJS	Gusset		E	6545
Conv 'FB' Wgn C-1403	DJS	Gusset		E	6545
SEwr Brkvn C-1348 & Brkvn C-1349	MPW	Uncoupling Gear Arrangement		B	6546
" " "	MPW	Lifting Bar		D	6547
" " "	MPW	Uncoupling Rod		D	6548
" " "	MPW	Uncoupling Rod Bracket		E	6549
" " "	MPW	Coupler Carrier Assembly		D	6550
'SHD' Cmmt Hppr 5'3" C-1391	1RWB	Draft Gear Arrangement	(A)	B	6551

SECTION No. 6-C

* TRACING ISSUED TO S.T.A. METRO-RAIL

IM-12.67 3701

Drawn	Title	Supersedes	Size	No.	Class
AHM	Automatic coupler No.5 contour - rotary operated.	(A)	C	6552	
AHM	Draft gear conversion "OX" and "OS" wagons A/F No.C1474.		B	6553	
AHM	Yoke carrier "OX" and "OS" wagons A/F No.C1474	(A)	D	6554	
AHM	Uncoupling rod "OX" and "OS" wagons A/F No. No.C1474.		E	6555	
THG	Draft gear arrangement.		B	6556	AWU, camp train sch C- 1422 3'-6" G
RWS	Arrangement and details of uncoupling gear 'A' and 'B' ends A/6-C-6229.	*	B	6557	300 and 400 cl. railcars.
RWS	Uncoupling rod brackets 'B' end.	*	C	6558	" "
BVK	Uncoupling rod.	(A)	E	6559	"LX" cl louvre van 5'-3" G C1432
MPW	Draft gear housing arrangement.		B	6560	"SFWM" flat 48 1/2" G C-1075
MPW	Draft gear housing details.		B	6561	" "
MPW	Yoke support.		D	6562	" "
MPW	Draft gear and uncoupling gear arrangement.		B	6563	" "
AHM	Draft gear conversion.		B	6564	"FWC", "OW", "OWP"
AHM	Yoke carrier.	(A)	D	6565	and "OWS" wagons.
AHM	Uncoupling rod.		E	6566	" "
MPW	Lifting bar bracket.		D	6567	"SFWM" flat 4'-8 1/2" G C-1075
AHM	Draft gear conversion.		B	6568	"DWP" vans 5'-3" G
AHM	Uncoupling rod.		E	6569	" "
DJS	Front stop and striker assembly.	(A)	C	6570	
DJS	Coupler carrier.	(A)	D	6571	
IHG	Uncoupling rod.		E	6572	Ballast plough 5'-3" G C-1497
RHF	Yoke carrier.		E	6573	"HB" "HS" & "HC" cars 5'-3" G C-1493
RHF	Draft gear conversion.		B	6574	" "
DJS	Draft gear conversion.		B	6575	"TDF" tank- cars 5'-3" G C-1493.
TRS	Modification to uncoupling rod "B" end.	*	C	6576	Officers car. Power van C-1439.
GDD	Uncoupling rod (rotary operated coupler)		E	6577	"TDF" tank- cars 5'-3" G C-1493
GDD	Uncoupling rod (rotary operated coupler)		E	6578	"MB" "HC" "HS" Hopper Wagons C-1493.
BVK	Automatic coupler (offset 2") 5'-3" shank 3 1/2" dia. pin.		C	6579	
DJS	Uncoupling rod.		E	6580	"FRN" & "OGN" 3'-6" G C-1503
DJS	Conversion to auto couplers and upgrading of draft gear.		A	6581	"FRN" & "OGN" Wgs 3'-6" G C-1503.
TWS	Uncoupling rod.		D	6582	"HAN" hopper wgn 3'-6" G
TWS	Uncoupling rod bracket.		D	6583	" "
TWS	Uncoupling rod brackets.		D	6584	" "
DJS	Conversions of "HBN" wagons to automatic couplers 3'-6" gauge.		B	6585	"HBN" hopper wagon 3'-6" G

SECTION No. 6=C

IN 9701

Class	Drawn	Title	Supersedes	Size	No.
"HN" Hopper Wagons 3'-6" gauge.	DJS	Conversions of "HN" wagons to automatic couplers 3'-6" gauge.		B	6586
"OSN" open wagons 3'-6" gauge.	DJS	Conversions of "OSN" wagons to automatic couplers 3'-6" gauge.		B	6587
"SFN" sheep vans 3'-6" gauge.	DJS	Uncoupling rod.		E	6588
"	DJS	Uncoupling rod bracket.		E	6589
"	DJS	Conversions of "SFN" and "VFN" vans to automatic couplers 3'-6" gauge,		B	6590
"YY" wagons 3'-6" gauge.	DJS	Coupling cock support.		(A) E	6591
"	DJS	Coupling of "YY" wagons to automatic couplers 3'-6" gauge.		(A) B	6592
"RPN" vans 3'-6" gauge.	DJS	Conversions of "RPN" vans to automatic couplers 3'-6" gauge.		B	6593
Camp train sleepers cl "PWS".	JMO	Coupler wear plate and stop.		D	6594
"CGN" brake-vans 3'-6" gauge.	DJS	Conversion of "CGN" brake-vans to automatic couplers, 3'-6" gauge.		B	6595
"	DJS	Uncoupling rod.		E	6596
Acc. van No. 1 3'-6" gauge.	DJS	Uncoupling rod.		E	6597
"	DJS	Conversion of accident van No. 1 to automatic couplers. 3'-6" gauge.		B	6598